

Quality

### Fat acts as reservoir for volatile compounds

Effect of the cooking process on the development of volatile compounds in “Longaniza” sausage from Chillán, Chile

By María Pía Gianelli, Pamela Valdebenito, Miguel Friz and Mónica Flores

### Literature references

1. ARTHUR, C.L. and J. PAWLISZYN (1990): Solid phase microextraction with thermal desorption using fused silica optical fibers. *Analytical Chemistry* 62, 2145–2148.
2. Association of Analytical Chemist (AOAC) (1995): Official Methods of Analysis of AOAC International, 16th Ed., Arlington Virginia, USA, Volume II, Cap. 32, p. 5.
3. BARANAUSKIENE, R., P. RIMANTAS, P.R. VENSKUTONIS, K. DEWETTINCK and R. VERHÉ (2006): Properties of oregano (*Origanum vulgare* L.), citronella (*Cymbopogon nardus* G.) and marjoram (*Majorana hortensis* L.) flavors encapsulated into milk protein-based matrices. *Food Research International* 39, 413–425.
4. BERTELLI, D., M. PLESSI and F. MIGLIETTA (2003): Effect of microwaves on volatile compounds in *origanum*. *Lebensmittel-Wissenschaft und -Technologie* 36, 555–560.
5. BRUNTON, N.P., D.A. CRONIN and F.J. MONAHAN (2001): The effects of temperature and pressure on the performance of Carboxen/PDMS fibres during solid phase microextraction (SPME) of headspace volatiles from cooked and raw turkey breast. *Flavour and Fragrance Journal* 16, 294–302.
6. BRUNTON, N.P., D.A. CRONIN, F.J. MONAHAN and R.A. DURCAN (2000): A comparison of solid-phase microextraction (SPME) fibres for measurement of hexanal and pentanal in cooked turkey. *Food Chemistry* 68, 339–345.
7. CALVO-GOMEZ, O., J. MORALES LÓPEZ and M.G. LÓPEZ (2004): Solid-phase microextraction-gaschromatographic-mass spectrometric analysis of garlic oil obtained by hydrodistillation. *J. Chromatography A* 1036, 91–93.
8. DIAZ-MAROTO, M.C., M.S. PÉREZ-COELLO and M.D. CABEZUNO (2002): Supercritical carbon dioxide extraction of volatiles from spices comparison with simultaneous distillation-extraction. *J. Chromatography A* 947, 23–29.
9. DUFOUR, J.P., P. DELBECQ and L. PEREZ ALBELA (2001): Solid-phase microextraction combined with gas chromatography-olfactometry for analysis of cheese aroma. In *Gas chromatography-olfactometry. The state of the art*. J.V. LELAND, P. SCHIEBERLE, A. BUETTNER, T.E. ACREE, Eds., ACS Symposium Series 782, pp 123–137. American Chemical Society. Washington DC.
10. ELMORE, J.S., D.S. MOTTRAM and HIERRO (2000): Two-fiber solid microextraction combined with gas chromatography-mass spectrometry for the analysis of volatile aroma compound in the cooked pork. *J. Chromatography A* 905, 223–240.
11. ESTÉVEZ, M., D. MORCUENDE, S. VENTANAS and R. CAVA (2003): Analysis of volatiles in meat from Iberian pigs and lean pigs after refrigeration and cooking by using SPME-GC-MS. *Journal of Agricultural and Food Chemistry* 51, 3429–3435.
12. FISCHER, N. and S. WIDDER (1997): How proteins influence food flavour. *Food Technology* 51,68–70.

13. GARCIA, M.A. and J. SANZ (2001): Analysis of *Origanum vulgare* volatiles by direct thermal desorption coupled to gas chromatography-mass spectrometry. *J. Chromatography A* 918, 189–194.
14. GARCIA-ESTEBAN, M., D. ANSORENA, I. ASTIASARÁN and J. RUIZ (2004): Study of the effect of different fiber coatings and extraction conditions on dry cured ham volatile compounds extracted by solid-phase. *Talanta* 64, 458–466.
15. GIANELLI, M.P., M. FLORES and F. TOLDRÁ (2002): Optimisation of solid phase microextraction (SPME) for the analysis of volatile compounds in dry-cured ham. *Journal of Agricultural and Food Chemistry* 82, 1703–1709.
16. GONZÁLEZ-TOMÁS, L., S. BAYARRI, A.J. TAYLOR and E. COSTELL (2007): Flavour release and perception from model dairy custards. *Food Research International* 40, 520–528.
17. GÓRECKI, T., P. MARTOS and J. PAWLISZYN (1998): Strategies for the analysis of polar solvents in liquid matrixes. *Analytical Chemistry* 70, 19–27.
18. HENG, L., G.A. KONINGSVELD, H. GRUPPEN, M.A.J.S VAN BOEKEL, J.-P. VINCKEN, J.P. ROOZEN and A.G.J. VORAGEN (2004): Protein flavour interactions in relation to development of novel protein foods. *Trends in Food Science and Technology* 15, 217–224.
19. JERKOVIÆ, I., J. MASTELIĆ, and M. MILOŠ, (2001): The impact of both the season of collection and drying on the volatile constituents of *Origanum vulgare* L. ssp. *hirtum* grow wild in Croatia. *International Journal of Food Science and Technology* 36, 649–645.
20. KACSIS, N., M. AMTMANN, Z. MEDNYANSZKY and K. KORÁNY (2002): GC-MS Investigation of the aroma compounds of Hungarian red paprika (*Capsicum annuum*) cultivars. *Journal of Food Composition and Analysis* 15, 195–203.
21. KIMBARIS, A.C., N.G. SIATIS, D.J. DAFERERA, P.A. TARANTILIS, C.S. PAPPAS and M.G. POLISSIOU (2006): Comparison of distillation and ultrasound-assisted extraction methods for the isolation of sensitive aroma compounds from garlic (*Allium sativum*). *Ultrasonics Sonochemistry* 13, 54–60.
22. LELAND, J. (1997): Flavor interactions: The greater whole. *Food Technology* 51, 75–80.
23. MACLEOD, G. and M. SEYYEDAIN-ARDEBILI (1981): Natural and simulated meat flavors. *CRC Critical Reviews in Food Science and Nutrition* 14, 309–437.
24. MARCO, A., J.L. NAVARRO and M. FLORES (2004): Volatile compounds of dry-fermented sausages as affected by solid-phase microextraction (SPME). *Food Chemistry* 84, 633–641.
25. Mateo, J., Aguirrezábal M., Domínguez, C., Zumalacárregui, J.M. (1997): Volatile Compounds in Spanish paprika. *Journal of Food Composition and Analysis* 10, 225–232
26. MOTTRAM, D.S. (1998): Flavour formation in meat and meat products, A review. *Food Chem.* 62, 415–424.
27. OLIVARES, A., J.L. NAVARRO and M. FLORES (2009): Distribution of volatile compounds in lean and subcutaneous fat tissues during the processing of dry fermented sausages. *Food Research International*; <http://dx.doi.org/10.1016/j.foodres.2009.03.017>.
28. RAMARATHNAM, N., L.J. RUBIN and L.L. DIOSADY (1991): Studies on meat flavor. 1. Qualitative and quantitative differences in uncured and cured pork. *Journal of Agricultural and Food Chemistry* 39, 344–350.
29. RAMARATHNAM, N., L.J. RUBIN and L.L. DIOSADY (1991): Studies on meat flavor. 2. A quantitative investigation of volatile carbonyls and hydrocarbons in uncured and

- cured beef and chicken. *Journal of Agricultural and Food Chemistry* *39*, 1839–1847.
30. RUIZ, J., R. CAVA, J. VENTANAS and M.T. JENSEN (1998): Headspace solid phase microextraction for the analysis of volatiles in a meat product: dry cured Iberian ham. *Journal of Agricultural and Food Chemistry* *46*, 4688–4694.
  31. RUIZ, J., J. VENTANAS and R. CAVA (2001): New device for direct extraction of volatiles in solid samples using SPME. *Journal of Agricultural and Food Chemistry* *49*, 5115–5121.
  32. SCHIRLE-KELLER, J.P., G.A. REINECCIUS and L.C. HATCHWELL (1994): Flavor interactions with fat replacers: effect of oil level. *Journal of Food Science* *59*, 813–815.
  33. SEUVRE, A.M., E. PHILIPPE, S. ROCHARD and A. VOILLEY (2007): Kinetic study of the release of aroma compounds in different model food systems. *Food Research International* *40*, 480–492.
  34. SHAHIDI, F., L.J. RUBIN and L.A. D'SUOZA (1986): Meat flavor volatiles: a review of the composition techniques of analysis, and sensory evaluation. *CRC Critical Reviews in Food Science and Nutrition* *24*, 141–243.
  35. SHIREY, R.E. (2000): Optimization of extraction conditions for low-molecular-weight analytes using solid-phase microextraction. *Journal of Chromatographic Science* *38*, 109–116.
  36. TSIMOGIANNIS, D., M. STAVRAKAKI and V. OREOPOULOU (2006): Isolation and characterization of antioxidant components from oregano (*Origanum heracleoticum*). *International Journal of Food Science and Technology* *42* (S1), 39–48.
  37. WETTASINGHE, M., T. VASANTHAN, F. TEMELLI and K. SWALLOW (2001): Volatile flavour composition of cooked by-product blends of chicken, beef and pork: a quantitative GC–MS investigation. *Food Research International* *34*, 149–158.
  38. ZHANG, Z., M. YANG and J. PAWLISZYN (1994): Solid-phase microextraction. *Analytical Chemistry* *66*, 844A–853A.

### Authors' addresses

María Pía Gianelli (corresponding author, mgianel@ubiobio.cl) and Pamela Valdebenito, Department of Food Engineering, Universidad del Bío-Bío. P.O. Box 447, Chillán; Chile Miguel Friz, Department of Sciences of Education, Universidad del Bío-Bío, P.O. box 447, Chillán, Chile, and Mónica Flores, Institute of Agrochemistry and Food Technology (CSIC), P.O. Box 73, 46100 Burjassot (Valencia), Spain.