

Research & Development

Quality characteristics and storage stability of low fat functional chicken nuggets

By A.K. Verma, B.D. Sharma and R. Banerjee

Keywords: Physico-chemical properties | Texture profile analysis | High fibre | Chicken nuggets | Shelf life

Literature references

1. AHA (1996): Dietary guidelines for healthy Americans. *Circulation*. *94*, 1795–1800.
2. AOAC (1995): Official Methods of Analysis, 16th edn. Association of Official Agricultural Chemists, Washington, D.C.
3. APHA (1984): Compendium of Methods for the Microbiological Examinations of Foods. 2nd ed. (ed. M. L. SPECK) Am. Pub. Health Assoc., Washington, D.C.
4. ARGANOSA, G.C. and N.G. MARRIOTT (1990a): Salt substitutes in canned luncheon meat. *J. Muscle Foods* *1* (3), 207–216.
5. BOURNE, M.C. (1978): Texture profile analysis. *Food Technol.* *32*, 62–72.
6. BREWER, M.S., L.A. GILLS and J.D. VEGA (1995): Sensory characteristics of potassium lactate and sodium chloride in a model system. *J. Sensory Stud.* *10* (1), 73–87.
7. CLAUS, J.R. and M.C. HUNT (1991): Low fat, high added water bologna formulated with texture modifying ingredients. *J. Food Sci.* *56* (3), 643–647, 652.
8. CREMER, M.L. and J.R. CHIPLEY (1977): Satellite food service system: time and temperature and microbiological and sensory quality of frozen hamburger patties. *J. Food Protect.* *40*, 603–607.
9. EASTWOOD, M.A. (1992): The physiological effect of dietary fibre: an update. *Ann. Rev. Nutr.* *12*, 19–35.
10. FROEHLICH, D.A., E.A. GULLET and W.R. USBORNE (1983): Effect of nitrite and salt on the colour, flavour and overall acceptability of ham. *J. Food Sci.* *48*, 152–154.
11. GOÑI, I., M. TORRE and F. SAURA-CALIXTO (1989): Determination of dietary fibre in cider wastes. Comparison of methods. *Food Chem.* *33*, 151–159.
12. GARCIA, M.L., R. DOMINGUEZ, M.D. GALVEZ, C. CASAS, and M.D. SELGAS (2002): Utilization of cereal and fruit fibres in low fat dry fermented sausages. *Meat Sci.* *60*, 227–236.
13. GRIGELMO-MIGUEL, N., M.I. ABADIAS-SERAS and O. MARTIN-BELLOSO (1999): Characteristics of low-fat high-dietary fibre frankfurters. *Meat Sci.* *52*, 247–256.
14. HUANG, S.C., C.Y. SHIAU, T.E. LIU, C.L. CHU and D.F. HWANG (2005): Effects of rice bran on sensory and physico-chemical properties of emulsified pork meatballs. *Meat Sci.* *70*, 613–619.
15. JAY, J.M. (1996): In: *Modern Food Microbiology* 4th edn., C.B.S. Publishers and Distributors New Delhi.
16. JIMENEZ-COLMENERO, F., J. CARBALLO and S. COFRADES (2001): Healthier meat and meat products: their role as functional foods. *Meat Sci.* *59*, 5–13.
17. JO, C., J.L. LEE and D.U. AHN (1999): Lipid oxidation, colour changes and volatile products in irradiated pork sausages with different fat content and packaging during storage. *Meat Sci.* *51* (4), 355–361.

18. JOHNSON, I.T. and D.A.T. SOUTHGATE (1994): Dietary fibre and related substance. In: J. EDELMAN and S. MILLER (Eds.), Food Safety Series (pp. 39–65). London: Chapman & Hall.
19. KEETON, J.T. (1983): Effect of fat and NaCl/phosphate levels on the chemical and sensory properties of pork patties. *J. Food Sci.* *48*, 878–881, 885.
20. KHATE, K. (2007): Development of designer pork sausages with low salt and fat. Ph.D. thesis, submitted to Deemed University, IVRI, Izatnagar, UP, India.
21. KONIECKO, E.K. (1979): In: Handbook for meat chemists. Chap. 6, Avery Publishing Group Inc., Wayne, New Jersey, USA pp 68–69.
22. KUMAR, M. and B.D. SHARMA (2003): Soy protein as fat replacer. *Fleischwirtsch. Intern.* *18* (4), 54–58.
23. KUMAR, M. and B.D. SHARMA (2004): Quality and storage stability of low fat pork patties containing barley flour as fat substitute. *J. Food Sci. Technol.* *41*, 496–502.
24. LIN, K.W. and C.H. CHUANG (1999): Effects of dipping of raw materials on the physico-chemical properties and shelf life of low fat Chinese style sausage. *Food Sci. Taiwan* *26* (6), 583.
25. LIN, K.W. and H.Y. LIN (2004): Quality characteristics of Chinese-style meatball containing bacterial cellulose (Nata). *J. Food Sci.* *69*, 107–111.
26. LITTLE, A.C. (1975): Off on a tangent. *J. Food Sci.* *40*, 410–412.
27. MATULIS, R.J., F.K. MCKEITH, J.W. SUTHERLAND and M.S. BREWER (1995): Sensory characteristics of frankfurters as affected by fat, salt and pH. *J. Food Sci.* *60*, 42–47.
28. MENDOZA, E., M.L. GARCIA, C. CASAS and M.D. SELGAS (2001): Inulin as fat substitute in low fat, dry fermented sausages. *Meat Sci.* *57*, 387–393.
29. MODI, V.K., N.S. MAHENDRAKAR, N.D. RAO and N.M. SCHINDRA (2003): Quality of buffalo meat burger containing legume flours as binders. *Meat Sci.* *66*, 144–149.
30. MURGUERZA, E., G. FISTA, D. ANSORENA, I. ASTIASARAN and J.G. BLOUKAS (2002): Effect of fat level and partial replacement of pork backfat with olive oil on processing and quality characteristics of fermented sausages. *Meat Sci.* *61*, 397–404.
31. RAJKUMAR, V., M.K. AGNIHOTRI and N. SHARMA (2004): Quality and shelf life of vacuum and aerobic packed chevon patties under refrigeration. *Asian-Australian J. Anim. Sci.* *17* (4), 548–553.
32. ROMANS, J.R., W.J. COSTELLO, C.W. CARLSON, M.L. GREASER and K.W. JONES (1994): The meat we eat. Danville, IL: Interstate Publisher, Inc.
33. RUUSUNEN, M., J. VAINIONPPA, M. Lyly, L. LAHTENMAKI, M. NIEMISTO, R. AHVENAINEN and E. PUOLANNE (2005): Reducing the sodium content in meat products: the effect of the formulation in low-sodium ground meat patties. *Meat Sci.* *69*, 53–60.
34. RUUSUNEN, M., M. SARKKATIRKKONEN and E. PUOLANNE (1999): The effect of salt reduction on taste pleasantness in cooked bologna type sausages. *J. Sensory Stud.* *14*, 263–270.
35. SERDAROGLU, M., G. YILDIZ-TURP and K. ABRODIMOV (2005): Quality of low fat meatballs containing legume flours as extenders. *Meat Sci.* *70*, 99–105.
36. SNEDECOR, G.W. and W.G. COCHRAN (1995): Statistical Methods. 8th ed. Oxford & IBH Pub. Co., New Delhi.
37. SOMMERS, C., F. XUETONG, B.A. NIEMIRA and K. SOKORAI (2003): Radiation (gamma) resistance and post irradiation growth of *L. monocytogenes* suspended in beef bologna containing sodium diacetate and potassium lactate. *J. Food Protect.* *66* (11), 2051–2056.

38. TARLADGIS, B.G., B.M. WATTS, M.T. YOUNATHAN and L.R. DUGAN (1960): A distillation method for the quantitative determination of malonaldehyde in rancid foods. *J. Am. Oil. Chem. Soc.* 37, 44–48.
39. TOWNSEND, W.E., L.P. WITNAUER, J.A. RILOFF and C.E. SWIFT (1968): Comminuted meat emulsions. Differential thermal analysis of fat transition. *Food Technol.* 22, 319–323.
40. TROUTT, E.S., M.C. HUNT, D.E. JOHNSON, J.R. CLAUS, C.L. KASTNER and D.H. KROPF (1992): Characteristics of low-fat ground beef containing texture-modifying ingredients. *J. Food Sci.* 57 (1), 19–24.
41. VEDAMURTHY, C.B. (1998): Utilization of collagen isolated from skin for production low fat chevon sausages. M.V.Sc. thesis submitted to Deemed University, Indian Veterinary Research Institute, Izatnagar.
42. WHITING, R.C. (1984): Stability and gel strength of frankfurters batter with reduced NaCl. *J. Food Sci.* 49, 1350–1359, 1362.
43. WIRTH, F. (1991): Reducing the fat and sodium content of meat products. What possibilities are here? *Fleischwirtsch.* 71, 294–297.
44. YILMAZ, I. (2004): Effects of rye bran addition on fatty acid composition and quality characteristics of low-fat meatballs. *Meat Sci.* 67, 245–249.

Authors' addresses

Dr. A.K. Verma (corresponding author), Department of Livestock Products Technology, College of Veterinary and Animal Sciences, Udgir, Dist-Latur (MS) 413 517, India, arun.lpt2003@gmail.com; B.D. Sharma and R. Banerjee, Division of Livestock Products Technology, Indian Veterinary Research Institute, Izatnagar, Bareilly (U.P.) 243 122, India