

Research & Development

## Volatile compounds of traditionally produced pastirma

By G. Kaban and M. Kaya

*Keywords:* Pastirma | Dry-cured meat product | Volatile compounds | SPME | Hexanal

### Literature references

1. AKSU, M.İ. and M. KAYA (2001): Some microbiological, chemical and physical characteristics of pastirma marketed in Erzurum. *Turk. J. Vet. Anim. Sci.* **25**, 319–326.
2. AKSU, M.İ. and M. KAYA (2002): Effect of commercial starter cultures on the fatty acid composition of pastirma (Turkish dry meat product). *J. Food Sci.* **67** (6), 2342–2345.
3. AKTAS, N., M.İ. AKSU and M. KAYA (2005): Changes in myofibrillar proteins during processing of pastirma (Turkish dry meat product) produced with commercial starter cultures. *Food Chem.* **90**, 649–654.
4. BARBIERI, G., L. BOLZONI, G. PAROLARI, R. VIRGILI, R. BUTTINI, M. CARERI and A. MANGIA (1992): Flavor compounds of dry-cured ham. *J. Agr. Food Chem.* **40**, 2389–2394.
5. BERDAGUE, J.L., C. DENOYER, J.L. LE QUERE and E. SEMON (1991): Volatile compounds of dry-cured ham. *J. Agr. Food Chem.* **39**, 1257–1261.
6. BERKMEN, L. (1960): Studies on the endurance of pathogens in a specific Turkish meat food product. *Fleischwirtsch.* **40** (11), 928–931.
7. BUSCAILHON, S., J.L. BERDAGUE and G. MONIN (1993): Time-related changes in volatile compounds of lean tissue during processing of French dry-cured ham. *J. Sci. Food Agr.* **63** (1), 69–75.
8. FLORES, M., C.C. GRIMM, F. TOLDRA and A.M. SPANIER (1997): Correlations of sensory and volatile compounds of Spanish “Serrano” dry-cured ham as a function of two processing times. *J. Agr. Food Chem.* **45**, 2178–2186.
9. FLORES, M., C. SOLER, M.C. ARISTOY and F. TOLDRA (2006): Effect of brine thawing/salting for time reduction in Spanish dry-cured ham manufacturing on proteolysis and lipolysis during salting and post-salting periods. *Eur. Food Res. Technol.* **222**, 509–515.
10. GARCIA, C., J.L. BERDAGUE, T. ANTEQUERA, C. LOPEZ-BOTE, J.J. CORDOBA and J. VENTANAS (1991): Volatile components of dry-cured Iberian ham. *Food Chem.* **41** (1), 23–32.
11. GARCIA-ESTEBAN, M., D. ANSORENA, I. ASTIASARAN and J. RUIZ (2004): Study of the effect of different fiber coatings and extraction conditions on dry cured ham volatile compounds extracted by solid-phase microextraction (SPME). *Talanta* **64**, 458–466.
12. HINRICHSSEN, L.L. and S.B. PEDERSEN (1995): Relationship among flavor, volatile compounds, chemical changes, and microflora in Italian-type dry-cured ham during processing. *J. Agr. Food Chem.* **43**, 2932–2940.

13. KABAN, G. (2009a): Changes in the composition of volatile compounds and in microbiological and physicochemical parameters during pastirma processing. *Meat Sci.* *82* (1),17–23.
14. KABAN, G. (2009b): Identification and characterisation of catalase positive cocci isolated from pastirma. *Fleischwirtsch. International* *24* (2), 60–62.
15. LOPEZ, M.O., L. DE LA HOZ, M.I. CAMBERO, E. GALLARDO, G. REGLERO and J.A. ORDONEZ (1992): Volatile compounds of dry hams from Iberian pigs. *Meat Sci.* *31*, 267–277.
16. MURIEL, E., T. ANTEQUERA, M.J. PETRON, A.I. ANDRES and J. RUIZ (2004): Volatile compounds in Iberian dry-cured loin. *Meat Sci.* *68*, 391–400.
17. PEREZ-JUAN, M., M. FLORES and F. TOLDRA (2006): Generation of volatile flavour compounds as affected by the chemical composition of different dry-cured ham sections. *Eur. Food Res. Technol.* *222*, 658–666.
18. RAMIREZ, R. and R. CAVA (2007): Volatile profiles of dry-cured meat products from three different Iberian x duroc genotypes. *J. Agric. Food Chem.* *55*, 1923–1931.
19. RUIZ, J., J. VENTANAS, R. CAVA, A. ANDRES and C. GARCIA (1999): Volatile compounds of dry-cured Iberian ham as affected by the length of the curing process. *Meat Sci.* *52*, 19–27.
20. SABIO, E., M.C. VIDAL-ARAGON, M.J. BERNALTE and J.L. GATA (1998): Volatile compounds present in six types of dry-cured ham from south European countries. *Food Chem.* *61* (4), 493–503.
21. STAHNKE, L.H. (1995): Dried sausages fermented with *Staphylococcus xylosus* at different temperatures and with different ingredient levels – Part II: Volatile components. *Meat Sci.* *41* (2), 193–209.
22. TOLDRA, F. and M. FLORES (1998): The role of muscle proteases and lipases in flavor development during the processing of dry-cured ham. *Crit. Rev. Food Sci.* *38* (4), 331–352.

#### **Authors' addresses**

Güzin Kaban (corresponding author) and Mükerrerem Kaya, Atatürk University, Faculty of Agriculture, Department of Food Engineering, 25240 Erzurum, Turkey;  
gkaban@atauni.edu.tr