

Research & Development

Effects of lactic and acetic acids on sensory properties and shelf life of chicken meats

Investigations during refrigerated and frozen storage

By Serap Coşansu, Şeref Taği and Kamuran Ayhan

Keywords: Chicken meat | Organic acids | Refrigerated storage | Frozen storage | Shelf life | Sensory evaluation

References

1. BALAMATSIA, C.C., E.K. PALEOLOGOS, M.G. KONTOMINAS and I.N. SAVVAIDIS (2006): Correlation between microbial flora, sensory changes and biogenic amines formation in fresh chicken meat stored aerobically and under modified atmosphere packaging at 4°C: possible role of biogenic amines as spoilage indicators. *Antonie van Leeuwen* 89, 9–17.
2. BALDWIN, E.A. (2007): Treatments and edible coating in food preservation. In: *Handbook of Food Preservation*, M. Shafiur Rahman ed., CRC Press, New York. 478–508.
3. BAUTISTA, D.A., N. SYLVESTER, S. BARBUT, and GRIFFITHS (1997): The determination of efficacy of antimicrobial rinses on turkey carcasses using response surface designs. *Int. J. Food Microbiol.* 34, 279–292.
4. BOLDER, N.M. (1997): Decontamination of meat and poultry carcasses. *Trends Food Sci. Tech.* 8, 221–227.
5. BOSTAN, K., M. UGUR, O. OZGEN and H. AKSU (1995): The effect of lactic acid dip on broiler carcass microbiological quality. *The Journal of the Faculty of Veterinary Medicine Istanbul University* 21, 433–451 (in Turkish).
6. CAPITA, R., C. ALONSO-CALLEJA, M. SIERRA, B. MORENO and M.C. GARCÍA-FERNÁNDEZ (2000): Effect of trisodium phosphate solutions washing on the sensory evaluation of poultry meat. *Meat Sci.* 55, 471–474.
7. CHOULIARA, E., A. KARATAPANIS, I.N. SAVVAIDIS and M.G. KONTOMINAS (2007): Combined effect of oregano essential oil and modified atmosphere packaging on shelf-life extension of fresh breast meat, stored at 4°C. *Food Microbiol.* 24, 607–617.
8. DEL RIO E., M.P. ANIZO-MORAN, M. PRIETO, C. ALONSO-CALLEJA and R. CAPITA (2007): Effect of various chemical decontamination on natural flora and sensory characteristics of poultry. *Int. J. Food Microbiol.* 115, 268–280.
9. DICKENS, J.A. and A.D. WHITTEMORE, (1997): Effects of acetic acid and hydrogen peroxide application during defeathering on the microbiological quality of broiler carcasses prior to evisceration. *Poultry Sci.* 76, 657-660.
10. DICKSON, J.S. and M.E. ANDERSON (1992): Microbiological decontamination of food animal carcasses by washing and sanitizing systems: a review. *J. Food Protect.* 55, 133–140.
11. DUBAL, Z.B., A.M. PATURKAR, V.S. WASKAR, R.J. ZENDE, C. LATHA, D.B. RAWOOL and M.M. KADAM (2004): Effect of food grade organic acids on inoculated *S.*

- aureus*, *L. monocytogenes*, *E. coli* and *S. typhimurium* in sheep/goat meat stored at refrigeration temperature. *Meat Sci.* 66, 817-821.
12. FLETCHER, D.L. (1999). Broiler breast meat color variation, pH and texture. *Poultry Sci.* 78, 1323-1327.
 13. GILL, C.O. and C. LANDERS (2003): Microbial effects of carcass decontaminating treatments at four beef packing plants. *Meat Sci.* 65, 1005-1011.
 14. GRIGORIADIS, S.G., P.A. KOIDIS, K.P. VARELTZIS and C.A. BATZLOS (1997): Survival of *Campylobacter jejuni* in fresh and frozen hamburgers stored under various temperatures and atmospheres. *J. Food Protect.* 60, 903-907.
 15. HUGAS, M. and E. TSGARIDA (2008): Pros and cons of carcass decontamination: The role of the European Food Safety Authority. *Meat Sci.* 78, 43-52.
 16. HWANG, C. and L.R. BEUCHAT (1995a): Efficacy of selected chemicals for killing pathogenic and spoilage microorganisms on chicken skin *J Food Protect.* 58, 19-23.
 17. HWANG, C. and L.R. BEUCHAT (1995b): Efficacy of a lactic acid/sodium benzoate wash solution in reducing bacterial contamination of raw chicken. *Int. J. Food Microbiol.* 27 (1), 91-98.
 18. IZAT, A.L., M. COLBERG, M.H. ADAMS, M.A. EIBER and P.W. ALDROUP (1989): Production and processing studies to reduce the incidence of *Salmonellae* on commercial broilers. *J. Food Protect.* 52 (9); 670-673.
 19. IZAT, A.L., M. COLBERG, R.A. THOMAS, M.H. ADAMS and C.D. Driggers (1990): Effects of lactic acid in processing waters on the incidence of *salmonellae* on broilers. *J. Food Quality* 13; 295-306.
 20. JAVANMARD, M., N. ROKNI, S. BOKAIE and G. SHAHHOSSEINI (2006): Effects of gamma irradiation and frozen storage on microbial, chemical and sensory quality of chicken meat in Iran. *Food Control* 17, 469-473.
 21. JIMENEZ, S.M., M.S. SALSI, M.C. TIBURZI, R.C. RAFAGHELLI, and M.E. PIROVANI (1999): Combined use of acetic acid treatment and modified atmosphere packaging for extending the shelf-life of chilled chicken breast portions. *J. Applied Microbiol.* 87, 339-344.
 22. JIMENEZ, S.M., M.S. SALSI, M. C. TIBURZI, R.C. RAFAGHELLI, M.A. TESSI and V.R. COUTAZ (1997): Spoilage microflora in fresh chicken breast stored at 4°C: influence of packaging methods. *J. Appl. Bacteriol.* 83, 613-618.
 23. KIM, C.R.K and D.L. MARSHALL (2000): Quality evaluation of refrigerated chicken wings treated with organic acids. *J. Food Quality* 23; 327-335.
 24. KOLSARICI, N. and K. CANDOGAN, (1995): The effects of potassium sorbate and lactic acid on the shelf-life of vacuum-packed chicken meats. *Poultry Sci.* 74, 1884-1893.
 25. MULDER, R.W.A.W., M.C. van der HULST and N.M. BOLDER (1987): Research note: *Salmonella* decontamination of broiler carcasses with lactic acid, L-cystein, and hydrogen peroxide. *Poultry Sci.* 66; 1555-1557.
 26. OKOLOCHA, E.C. and L. ELLERBROEK (2005): The influence of acid and alkaline treatments on pathogens and the shelflife of poultry meat. *Food Control* 16, 217-225.
 27. PIPEK, P., P. FILA, J. JELENIKOVA, J. BRYCHTA and M. MIYAHARA (2004): Technological aspect of acid decontamination of carcasses. *Chem. Listy* 98, 865-869.
 28. PIPEK, P., M. HOUSKA, J. JELENIKOVA, K. KYHOS, K. HOKE and M. SIKULOVA (2005): Microbial decontamination of beef carcasses by combination of steaming and lactic acid spray. *J. Food Engineering* 67, 309-315.

29. SAMELIS, J. and J.N. SOFOS (2003): Organic acids. In: Natural Antimicrobials for the Minimal Processing of Foods, (S. Roller, ed.), CRC Press, Florida, 98–132.
30. SMULDERS, F.J.M., P. BARENSEN, J.G. van LOGTESTIJN, D.A.A. MOSSEL and G.M. van der MAREL (1986): Review: Lactic acid: considerations in favour of its acceptance as a meat decontaminant. *J. Food Tech.* 21, 419–436.
31. SMULDERS, F.J.M. and G.G. GREER (1998): Integrating microbial decontamination with organic acids in HACCP programmes for muscle foods: prospects and controversies. *Int. J. Food Microbiol.* 44, 149–169.
32. SNIJDERS, J.M.A., J.G. van LOGTENSTIJN, D.A.A. MOSSEL and F.J.M. SMULDERS (1985): Lactic acid as a decontaminant in slaughter and processing procedures. *Vet. Q.* 7; 277-282.
33. STERN, N.J. and A.W. KOTULA (1982): Survival of *Campylobacter jejuni* inoculated into ground beef. *Appl. Environ. Microbiol.* 44, 1150–1153.
34. SWATLAND, H.J. (2008): How pH causes or darkness in chicken breast meat. *Meat Sci.* 80, 396–400.
35. TOSUN, H. and A.Ü. TAMER (2000): A study on the effects of chilling on the microbial quality of poultry carcasses and surface decontamination with lactic acid. *Türk J. Vet. Anim. Sci.* 24, 517–521.
36. UGUR, M., K. BOSTAN, Ö. ÖZGEN and H. ÇOLAK (1995): The effect of acetic acid dip on broiler carcass microbiological quality. *The Journal of the Faculty of Veterinary Medicine Istanbul University* 21, 433-442.
37. Van der MAREL, G.M., J.G. van der LOGTESTIJN and D.A.A. MOSSEL (1988): Bacteriological quality of broiler carcasses as affected by in-plant lactic acid decontamination. *Int. J. Food Microbiol.* 6, 31–42.
38. YAMAMOTO, S.A. and L.J. HARRIS (2001): The effects of freezing and thawing on the survival *Escherichia coli* O157:H7 in apple juice. *Int. J. Food Microbiol.* 67, 89–96.
39. XIONG, H., Y. Li, M.F. SLAVIK and J.T. WALKER (1998): Spraying chicken skin with selected chemicals to reduce attached *Salmonella typhimurium*. *J. Food Protect.* 61, 272-275. –
40. Zeitoun, A.A.M. and J.M. Debevere (1990): The effect of treatment with buffered lactic acid on microbial decontamination and on shelf life of poultry. *Int. J. Food Microbiol.* 11, 305–311.

Author's address

Serap Coşansu, Sakarya University, Department of Food Engineering, Faculty of Engineering, Sakarya –Turkey, Şeref Tağı and Kamuran Ayhan, Ankara University, Department of Food Engineering, Faculty of Engineering, Dişkapı, 06110, Ankara, Turkey